


WHAT IS CLAIMED IS:

1. A thermoplastic molding composition comprising

- 5 A) 40 to 95 parts by weight of aromatic polycarbonate and/or polyester carbonate,
- B) 0.5 to 30 parts by weight of polyalkylene terephthalate,
- 10 C) 0.5 to 30 parts by weight of graft polymer,
- D) 0.5 to 25 parts by weight of an oligomeric phosphorus compound of formula (I),



15 in which

20  $\text{R}^1, \text{R}^2, \text{R}^3, \text{R}^4$  independently of each other mean a radical selected from the group consisting of  $\text{C}_1$ - $\text{C}_8$  alkyl,  $\text{C}_5$ - $\text{C}_6$ -cycloalkyl,  $\text{C}_6$ - $\text{C}_{10}$  aryl or  $\text{C}_7$ - $\text{C}_{12}$  aralkyl,

$n$  independently of each other mean 0 or 1,

$q$  0.5 to 15,

25  $\text{R}^5$  and  $\text{R}^6$  independently of each other means  $\text{C}_1$ - $\text{C}_4$  alkyl radical,

m independently of each other means 0, 1, 2, 3 or 4 and

Y means a member selected from the group consisting of C<sub>1</sub> to C<sub>7</sub> alkylidene, C<sub>1</sub>-C<sub>7</sub> alkylene, C<sub>5</sub> to C<sub>12</sub> cycloalkylene, C<sub>5</sub> to C<sub>12</sub> cycloalkylidene radicals, -O-, -S-, -SO<sub>2</sub>-, and -CO-,

and

E) means 0 to 1 parts by weight of fluorinated polyolefin,

the sum of the parts by weight of A, B, C, D and E being 100.

2. The composition according to Claim 1, containing 50 to 90 parts by weight of component A).
3. The composition according to Claim 1, containing 1 to 20 parts by weight of polyalkylene terephthalate.
4. The composition according to Claim 3, containing 3 to 10 parts by weight of polyalkylene terephthalate.
5. The composition according to Claim 1, wherein B) is at least one member selected from the group consisting of polybutylene terephthalate and polyethylene terephthalate.
6. The composition according to Claim 1, containing 1 to 20 parts by weight of graft polymer (C).
7. The composition according to Claim 1, containing 2 to 18 parts by weight of component D).

8. The composition according to Claim 1, wherein graft polymer C is of C.1, 5 to 95 wt.% of at least one vinyl monomer on C.2, 95 to 5 wt.% of one or more elastomeric grafting bases having a glass transition temperatures  $<10^{\circ}\text{C}$ , the wt.% being relative to the weight of the graft polymer.
- 5
9. The composition according to Claim 8, wherein the graft monomers C.1 includes
- C.1.1 50 to 99 wt.% of at least one monomer from the group of vinyl aromatics, core-substituted vinyl aromatics and methacrylic acid-
- 10 (C<sub>1</sub>-C<sub>8</sub>) alkyl esters and
- C.1.2 1 to 50 wt.% of at least one monomer from the group of vinyl cyanides, (meth)acrylic acid-(C<sub>1</sub>-C<sub>8</sub>) alkyl esters and unsaturated carboxylic acids,
- 15 the wt% being relative to the weight of C.1 .
10. The composition according to Claim 8, wherein the grafting base is at least one member selected from the group consisting of homopolymeric diene rubbers, copolymeric diene rubbers, EP(D)M rubbers and acrylate
- 20 rubbers.
11. The composition according to Claim 1, wherein q means 1 to 5 and Y means isopropylidene or methylene.
- 25 12. The composition according to Claim 1, wherein q means 1 to 2 and Y means isopropylidene.
13. The composition according to Claim 1, wherein polyalkylene terephthalate, which has an isothermic crystallization  $<20$  min.
- 30 14. The composition according to Claim 1, further containing at least one member selected from the group consisting of lubricants, mold release

agents, nucleation agents, anti-statics, stabilizers, light-protection agents, filling agents, reinforcing agents, dyes, pigments, flame-proofing agents other than component D and flame-proofing synergists.

- 5 17. A molded article comprising the composition of claim 1.